



## JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA  
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

### GatherCarbon Carbon Road Rim Model List -Page 1/4

Model	GCRC38W	GCRC50W	GCRC60W	GCRC30S	GCRC38S	GCRC50S	GCRC60S	GCRC88S
Rim Outer Width	23mm	23mm	23mm	28mm	27.5mm	28mm	28mm	28.5mm
Rim Inner Width	16mm	16mm	16mm	18mm	18mm	18mm	18mm	18mm
Rim Depth	38mm	50mm	60mm	30mm	38mm	50mm	60mm	88mm
Material	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Rim Type	Clincher	Clincher	Clincher	Clincher	Clincher	Clincher	Clincher	Clincher
Style	V Shape	V Shape	V Shape	U Shape	U Shape	U Shape	U Shape	U Shape
Brake System	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake
ERD	568mm	545mm	535mm	568mm	568mm	568mm	525mm	469mm
Spoke Holes	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H
Rim Weight T700	425g or lighter 385g	460g or lighter 420g	500g or lighter 460g	430g or lighter 390g	445g or lighter 400g	490g or lighter 450g	540g or lighter 500g	680g or lighter 620g
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	125psi /8.6bar	130psi /8.9bar	130psi /8.9bar	125psi /8.6bar	125psi /8.6bar	130psi /8.9bar	130psi /8.9bar	130psi /8.9bar
Max Rider Weight	120kg	125kg	130kg	115kg	120kg	125kg	125kg	135kg
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								



## JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA  
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

### GatherCarbon Carbon Road Rim Model List -Page 2/4

Model	GCRX30S	GCRX35S	GCRX38S	GCRX40S	GCRX45S	GCRX45SE	GCRX50S	GCRX55SE
Rim Outer Width	28.5mm	27mm	27.5mm	29mm	27.5mm	27.5mm	28mm	28mm
Rim Inner Width	20mm	18mm	18mm	20mm	18mm	18mm	18mm	18mm
Rim Depth	30mm	35mm	38mm	40mm	45mm	45mm	50mm	55mm
Material	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Rim Type	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready
Style	U Shape	U Shape	U Shape	U Shape	U Shape	U Shape	U Shape	U Shape
Brake System	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake
ERD	585mm	574mm	568mm	565mm	555mm	555mm	545mm	535mm
Spoke Holes	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H
Rim Weight T700	430g or lighter 375g	430g or lighter 390g	445g or lighter 400g	455g or lighter 410g	475g or lighter 425g	475g or lighter 425g	490g or lighter 450g	520g or lighter 485g
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	125psi /8.6bar	125psi /8.6bar	125psi /8.6bar	125psi /8.6bar	130psi /8.9bar	130psi /8.9bar	130psi /8.9bar	130psi /8.9bar
Max Rider Weight	115kgs	115kgs	120kgs	120kgs	125kgs	125kgs	125kgs	125kgs
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								



## JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA  
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

### GatherCarbon Carbon Road Rim Model List -Page 3/4

Model	GCRX60S	GCRX88S	GCRT38W	GCRT50W	GCRT60W	GCRT30S	GCRT35S	GCRT38S
Rim Outer Width	28mm	28.5mm	23mm	23mm	23mm	29mm	27mm	27.5mm
Rim Inner Width	18mm	18mm	16mm	16mm	16mm	20mm	18mm	18mm
Rim Depth	60mm	88mm	38mm	50mm	60mm	30mm	35mm	38mm
Material	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Rim Type	Tubeless Ready	Tubeless Ready	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular
Style	U Shape	U Shape	V Shape	V Shape	V Shape	U Shape	U Shape	U Shape
Brake System	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake
ERD	525mm	469mm	568mm	545mm	535mm	585mm	574mm	568mm
Spoke Holes	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H
Rim Weight T700	540g or lighter 500g	680g or lighter 620g	335g or lighter 300g	375g or lighter 335g	425g or lighter 380g	330g or lighter 290g	340g or lighter 300g	345g or lighter 305g
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	130psi /8.9bar	130psi /8.9bar	N/A	N/A	N/A	N/A	N/A	N/A
Max Rider Weight	130kgs	135kgs	100kgs	125kgs	130kgs	115kgs	115kgs	120kgs
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								



**JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD**

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA  
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

**GatherCarbon Carbon Road Rim Model List -Page 4/4**

Model	GCRT40S	GCRT45S	GCRT45SE	GCRT50S	GCRT55SE	GCRT60S	GCRT88S	
Rim Outer Width	29mm	27.5mm	27.5mm	27.5mm	27.5mm	28mm	28.5mm	
Rim Inner Width	20mm	18mm	18mm	18mm	18mm	18mm	18mm	
Rim Depth	40mm	45mm	45mm	50mm	55mm	60mm	88mm	
Material	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	Toray T700, TG260	
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	
Rim Type	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	Tubular	
Style	U Shape	U Shape	U Shape	U Shape	U Shape	U Shape	U Shape	
Brake System	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	Rim or DISC brake	
ERD	565mm	555mm	555mm	545mm	535mm	525mm	469mm	
Spoke Holes	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	16/18/20/21/24/28H	
Rim Weight T700	375g or ligher 330g	370g or ligher 330g	370g or ligher 330g	400g or ligher 360g	415g or ligher 375g	435g or ligher 395g	555g or ligher 510g	
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	
Max Tyre Pressure	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Max Rider Weight	115kgs	120kgs	120kgs	125kgs	125kgs	130kgs	135kgs	
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	
Geometry								