



JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

GatherCarbon Carbon MTB Rim Model List -Page 1/3

Model	GCMX927E	GCMX727E	GCMX930EⓄ	GCMX930EⓄ	GCMX930Ⓞ	GCMX930Ⓞ	GCMX730Ⓞ	GCMX730Ⓞ
Size	29er	27.5er	29er	29er	29er	29er	27.5er	27.5er
Rim Outer Width	27.4mm	27.4mm	30mm	30mm	30mm	30mm	30mm	30mm
Rim Inner Width	22.4mm	22.4mm	24mm	24mm	24mm	24mm	24mm	24mm
Rim Depth	23mm	23mm	25mm	25mm	28mm	28mm	28mm	28mm
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Use	XC	XC	XC	TR	XC	TR	XC	TR
Rim Type	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready
Style	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless
Brake System	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake
ERD	599mm	561mm	595mm	595mm	589mm	589mm	551mm	551mm
Spoke Holes	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H
Rim Weight T700	330g or ligher 290g	310g or ligher 270g	330g	370g	330g	370g	310g	350g
Tyre Size	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar
Max Rider Weight	110kg	110kg	110kg	120kg	110kg	120kg	110kg	120kg
Impact thickness	2.5mm	2.5mm	2.5mm	3.0mm	2.5mm	3.0mm	2.5mm	3.0mm
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								



JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

GatherCarbon Carbon MTB Rim Model List -Page 2/3

Model	GCMX934EⓄ	GCMX934EⓂ	GCMX935Ⓞ	GCMX935Ⓜ	GCMX735Ⓞ	GCMX735Ⓜ	GCMX935EⓄ	GCMX935EⓂ
Size	29er	29er	29er	29er	27.5er	27.5er	29er	29er
Rim Outer Width	34mm	34mm	35mm	35mm	35mm	35mm	35mm	35mm
Rim Inner Width	27mm	27mm	29mm	29mm	29mm	29mm	29mm	29mm
Rim Depth	25mm	25mm	25mm	25mm	25mm	25mm	25mm	25mm
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Use	XC	TR /AM	XC	TR /AM	XC	TR /AM	XC	TR /AM
Rim Type	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready
Style	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless
Brake System	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake
ERD	595mm	595mm	595mm	595mm	557mm	557mm	595mm	595mm
Spoke Holes	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H
Rim Weight T700	335g	375g	375g	430g	355g	400g	375g	430g
Tyre Size	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar
Max Rider Weight	110kg	120kg	110kg	120kg	110kg	120kg	110kg	120kg
Impact thickness	2.5mm	3.0mm	2.5mm	3.0mm	2.5mm	3.0mm	2.5mm	3.0mm
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								



JUSHI CARBON (XIAMEN) TECHNOLOGY CO.,LTD

ADD: ROOM 610-3, 6TH FLOOR, NO.1616 GUANKOU MIDDLE ROAD, GUANKOU TOWN, JIMEI DISTRICT, XIAMEN, FUJIAN, CHINA
 TEL/FAX: 86-592-5251812 MOB: 86-13616026065

GatherCarbon Carbon MTB Rim Model List -Page 3/3

Model	GCMX735E①	GCMX735E②	GCMX940E①	GCMX940E②	GCMX940E③	GCMX690	GCMX742E	GCMX942E
Size	27.5er	27.5er	29er	29er	29er	26er	27.5er	29er
Rim Outer Width	35mm	35mm	40.5mm	40.5mm	40.5mm	90mm	42mm	42mm
Rim Inner Width	29mm	29mm	32.5mm	32.5mm	32.5mm	85mm	35mm	35mm
Rim Depth	25mm	25mm	28mm	28mm	28mm	25mm	25mm	25mm
Weave	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K	UD/3K/3K twill/12K
Finish	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy	Matte /Glossy
Use	XC	TR /AM	XC	TR /AM	DH	XC	DH	DH
Rim Type	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready	Tubeless Ready
Style	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless	Hookless
Brake System	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake	Disc Brake
ERD	595mm	595mm	589mm	589mm	589mm	552mm	557mm	595mm
Spoke Holes	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H	24/28/32H
Rim Weight T700	355g	400g	415g	465g	520g	660g	580g	600g
Tyre Size	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.0-2.5"	2.3-3.0"	2.0-2.5"	2.3-3.0"	2.3-3.0"
Max Spokes Tension	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf	130 kgf
Max Tyre Pressure	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar	60psi / 4.1bar
Max Rider Weight	110kg	120kg	110kg	120kg	140kg	110kg	140kg	140kg
Impact thickness	2.5mm	3.0mm	2.5mm	3.0mm	3.5mm	2.5mm	3.5mm	3.5mm
Decals	Customized	Customized	Customized	Customized	Customized	Customized	Customized	Customized
Warranty	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years	2 Years
Geometry								